



Certificate of Conformity

Certificate num.	Registration date	Version	Valid until	
afp - 1765	17-Jun-2005	Number 10	Issue date 1-May-2016	30-Apr-2017

Page 1 of 2

Product designation

Antec, Model FS4049, fire hose reel

(Refer to the Schedule/enclosures for further specified details)

Agent/distributor

Antec Group Pty Ltd
9 Chicago Avenue, BLACKTOWN, NSW, AUSTRALIA, 2148

Registrant

Matthews Fire Alarm
18 Chapman Place, EAGLE FARM, QLD, AUSTRALIA, 4009

Producer

Associated Enterprises (S) Pte Ltd
Block 28, Sin Ming Drive, #01-171/173, SINGAPORE, 575702

Conformance criteria and evaluation

The Antec, Model FS4049, fire hose reel has been evaluated and verified as conforming with the relevant requirements of the following criteria.

1. Australian/New Zealand Standard AS/NZS 1221:1997, 'Fire hose reels'.

Limitations/conditions of conformance

Limitations/conditions of conformance, where identified on this certificate, are derived from qualifications from evaluation(s) for conformity and/or other related technical documentation. All details with respect to design, assembly and installation instructions and restrictions should be checked against the producer's current technical manual/data sheets and the requirements of the Authority having Jurisdiction.

Specified limitations/conditions, determined from the evaluation for conformity, include the following.

- i. The equipment is not suitable for use on Class E fires.

This certification is issued within the scope of CSIRO Verification Services – Rules governing ActivFire Scheme and is valid only for the product(s) as submitted for evaluation and verification of conformity, subject to the following conditions.

- Reference to details, limitations and requirements, where documented as a schedule/enclosure with this certificate.
- The Registrant is responsible for their attestation of conformity and ensuring that on-going production complies with the conformance criteria defined in this certificate.
- This certificate will not be valid if any changes or modifications are made to the product which have not been notified and validated by CSIRO Verification Services.
- This certificate is subject to periodical re-validation upon verification that all requirements, as determined by the conformity assessment body, continue to be satisfactorily met by the Registrant.
- This certificate may only be reproduced in its published form, without modification and inclusive of all schedules/enclosures.
- Any changes, errors or omissions, must be submitted in writing and if necessary or requested, substantiated with relevant evidence.
- Any representations, such as advertising or other marketing related activities or articles shall reflect the correct contents of this certificate and conform with all relevant trade practices and consumer protection legislation and regulations.
- Any terms or conditions of use as applicable to content and documentation as published or accessed through web sites administered by the CSIRO Verification Services.

Issued by

David Whittaker
Executive Officer – ActivFire Scheme



Schedule to Certificate of Conformity

Certificate num.	Registration date	Version	Valid until	
afp - 1765	17-Jun-2005	Number 10	Issue date 1-May-2016	30-Apr-2017

Page 2 of 2

Producer's description

The Antec, Model FS4049, fire hose reel is a compact unit designed for quick and accurate installation by one person.

A feature of the hose reel design is the "slide-in" wall mounting bracket which is a separate strong and rigid galvanised steel bracket that is initially fixed onto the wall without the hose reel. The complete hose reel is then slotted in from the top and sits in a mounted and rigid position. The water supply piping is then connected to the inlet of the hose reel. The fire reel discs are pressed steel of 1.2mm thickness and epoxy/polyester powder coated. The hub is made of deep drawn galvanised steel.

Technical specification

The following details are a representative extract of the technical specification for the Antec, Model FS4049, fire hose reel and may be subject to change. Complete and current details should be determined from the designated producer's technical manual/data sheets.

Specifications

Hose: length: 36 m
diameter: 19 mm
Nozzle type: Brass twist off/jet
Hose clamps: Zinc plated